## SEQUENCE LISTING

```
<110> Eisenberg, Stephen P.
      Case, Casey C.
      Cox III, George N.
      Jamieson, Andrew
      Rebar, Edward J.
      Sangamo Biosciences, Inc.
<120> Selection of Sites for Targeting by Zinc Finger
      Proteins and Methods of Designing Zinc Finger Proteins
      to Bind to Preselected Sites
<130> 019496-001800US
<140> US 09/229,007
<141> 1999-01-12
<160> 97
<170> PatentIn Ver. 2.1
<210> 1
<211> 25
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: exemplary motif
     characterizing the C-2H-2 class of zinc finger
     proteins (ZFP)
<220>
<221> MOD RES
<222> (1)..(25)
<223> Xaa = any amino acid
<220>
<221> MOD RES
<222> (4)..(5)
<223> Xaa = any amino acid, may be present or absent
<220>
<221> MOD_RES
<222> (23)..(24)
<223> Xaa = any amino acid, may be present or absent
<400> 1
Xaa Xaa His Xaa Xaa Xaa Xaa His
            20
<210> 2
<211> 5
<212> PRT
<213> Artificial Sequence
```

(a) esy

```
<220>
<223> Description of Artificial Sequence:peptide linker
<400> 2
Thr Gly Glu Lys Pro
  1
<210> 3
<211> 5
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence:peptide linker
Gly Gly Gly Ser
 1
<210> 4
<211> 8
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence:peptide linker
<400> 4
Gly Gly Arg Arg Gly Gly Ser
<210> 5
<211> 9
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:peptide linker
Leu Arg Gln Arg Asp Gly Glu Arg Pro
<210> 6
<211> 12
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence:peptide linker
Leu Arg Gln Lys Asp Gly Gly Ser Glu Arg Pro
```

# c 450

```
<210> 7
<211> 16
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence:peptide linker
<400> 7
Leu Arg Gln Lys Asp Gly Gly Gly Ser Gly Gly Ser Glu Arg Pro
<210> 8
<211> 85
<212> PRT
<213> Mus sp.
<220>
<223> DNA binding domain of mouse transcription factor
      Zif268
<400> 8
Tyr Ala Cys Pro Val Glu Ser Cys Asp Arg Arg Phe Ser Arg Ser Asp
Glu Leu Thr Arg His Ile Arg Ile His Thr Gly Gln Lys Pro Phe Gln
Cys Arg Ile Cys Met Arg Asn Phe Ser Arg Ser Asp His Leu Thr Thr
His Ile Arg Thr His Thr Gly Glu Lys Pro Phe Ala Cys Asp Ile Cys
Gly Arg Lys Phe Ala Arg Ser Asp Glu Arg Lys Arg His Thr Lys Ile
His Leu Arg Gln Lys
<210> 9
<211> 94
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: amino acids
      531-624 in Sp-1 transcription factor
<400> 9
Pro Gly Lys Lys Gln His Ile Cys His Ile Gln Gly Cys Gly Lys
Val Tyr Gly Lys Thr Ser His Leu Arg Ala His Leu Arg Trp His Thr
             20
Gly Glu Arg Pro Phe Met Cys Thr Trp Ser Tyr Cys Gly Lys Arg Phe
```

Ball and

40

Thr Arg Ser Asp Glu Leu Gln Arg His Lys Arg Thr His Thr Gly Glu 55 Lys Lys Phe Ala Cys Pro Glu Cys Pro Lys Arg Phe Met Arg Ser Asp 70 His Leu Ser Lys His Ile Lys Thr His Gln Asn Lys Lys Gly <210> 10 <211> 98 <212> PRT <213> Artificial Sequence <220> <223> Description of Artificial Sequence:Sp-1 transcription factor consensus sequence <400> 10 Met Glu Lys Leu Arg Asn Gly Ser Gly Asp Pro Gly Lys Lys Lys Gln 5 10 15 His Ala Cys Pro Glu Cys Gly Lys Ser Phe Ser Lys Ser Ser His Leu Arg Ala His Gln Arg Thr His Thr Gly Glu Arg Pro Tyr Lys Cys Pro Glu Cys Gly Lys Ser Phe Ser Arg Ser Asp Glu Leu Gln Arg His Gln Arg Thr His Thr Gly Glu Lys Pro Tyr Lys Cys Pro Glu Cys Gly Lys Ser Phe Ser Arg Ser Asp His Leu Ser Lys His Gln Arg Thr His Gln Asn Lys <213> Artificial Sequence

<210> 11 <211> 10 <212> DNA <223> Description of Artificial Sequence:natural Zif268

binding site

<400> 11 gcgtgggcgc

10

<210> 12 <211> 10 <212> DNA <213> Artificial Sequence

```
<220>
 <223> Description of Artificial Sequence:target site
       containing three D-able subsites
 <400> 12
                                                                     10
 ggntgnggnn
<210> 13
 <211> 10
 <212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:target site
      with two overlapping D-able subsites
<400> 13
nngkngknnn
                                                                     10
<210> 14
<211> 10
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:target site
      with three overlapping D-able subsites
<400> 14
nngkngkngk
                                                                     10
<210> 15
<211> 22
<212> DNA
<213> Artificial Sequence
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 1
<220>
<221> modified_base
<222> (1)..(22)
<223> n = g, a, c or t
<220>
<221> modified base
<222> (10)..(12)
<223> n = g, a, c or t, may be present or absent
<400> 15
                                                                    22
gnggnngnnn nngnggnngn nn
<210> 16
<211> 23
<212> DNA
<213> Artificial Sequence
```

€ a as ≥

```
<220>
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 1
<220>
<221> modified base
<222> (1)..(23)
<223> n = g, a, c or t
<220>
<221> modified base
<222> (11)..(13)
<223> n = g, a, c or t, may be present or absent
<400> 16
                                                                    23
gnggnngnnn nnngnggnng nnn
<210> 17
<211> 22
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 1
<220>
<221> modified_base
<222> (1)..(22)
<223> n = g, a, c or t
<220>
<221> modified base
<222> (10)..(12)
<223> n = g, a, c or t, may be present or absent
<400> 17
gnggnngnnn nngnngnggn nn
                                                                    22
<210> 18
<211> 23
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 1
<220>
<221> modified_base
<222> (1)..(23)
<223> n = g, a, c or t
<220>
<221> modified base
<222> (11)..(13)
<223> n = g, a, c or t, may be present or absent
```

- € a - 🚓 🗪

```
<400> 18
                                                                     23
gnggnngnnn nnngnngngg nnn
<210> 19
<211> 22
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 1
<220>
<221> modified_base
<222> (1)..(22)
<223> n = g, a, c or t
<220>
<221> modified_base
<222> (10)..(12)
<223> n = g, a, c or t, may be present or absent
<400> 19
                                                                     22
gnggnngnnn nngnggnngn gg
<210> 20
<211> 23
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 1
<220>
<221> modified base
<222> (1)..(23)
<223> n = g, a, c or t
<220>
<221> modified base
<222> (11) . . (13)
<223> n = g, a, c or t, may be present or absent
<400> 20
gnggnngnnn nnngnggnng ngg
                                                                    23
<210> 21
<211> 22
<212> DNA
<213> Artificial Sequence
<223> Description of Artificial Sequence:target site DNA
```

√0 x (g) 🌩

motif searched by protocol 1

```
<220>
<221> modified_base
<222> (1)..(22)
<223> n = g, a, c or t
<220>
<221> modified base
<222> (10)..(12)
<223> n = g, a, c or t, may be present or absent
                                                                     22
gnngnggnnn nngnggnngn nn
<210> 22
<211> 23
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 1
<220>
<221> modified base
<222> (1)..(23)
<223> n = g, a, c or t
<220>
<221> modified base
<222> (11)..(13)
<223> n = g, a, c or t, may be present or absent
<400> 22
                                                                    23
gnngnggnnn nnngnggnng nnn
<210> 23
<211> 22
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 1
<220>
<221> modified base
<222> (1)..(22)
<223> n = g, a, c or t
<220>
<221> modified_base
<222> (10)..(12)
<223> n = g, a, c or t, may be present or absent
<400> 23
                                                                    22
gnngnggnnn nngnngnggn nn
```

. € + ij •

```
<210> 24
<211> 23
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 1
<220>
<221> modified base
<222> (1)..(23)
<223> n = g, a, c or t
<220>
<221> modified base
<222> (11)..(13)
<223> n = g, a, c or t, may be present or absent
<400> 24
                                                                     23
gnngnggnnn nnngnngngg nnn
<210> 25
<211> 22
<212> DNA
<213> Artificial Sequence
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 1
<220>
<221> modified base
<222> (1)..(22)
<223> n = g, a, c or t
<220>
<221> modified base
<222> (10)..(12)
<223> n = g, a, c or t, may be present or absent
<400> 25
gnngnggnnn nngnggnngn gg
                                                                    22
<210> 26
<211> 23
<212> DNA
<213> Artificial Sequence
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 1
<220>
<221> modified base
<222> (1)..(23)
<223> n = g, a, c or t
```

Y . 10 >

```
<220>
<221> modified_base
<222> (11)..(13)
<223> n = g, a, c or t, may be present or absent
<400> 26
                                                                     23
gnngnggnnn nnngnggnng ngg
<210> 27
<211> 23
<212> DNA
<213> Artificial Sequence
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 1
<220>
<221> modified base
<222> (1)..(23)
<223> n = g, a, c or t
<220>
<221> modified base
<222> (11)..(13)
<223> n = g, a, c or t, may be present or absent
<400> 27
gnngnngngg nnngnggnng nnn
                                                                    23
<210> 28
<211> 24
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 1
<220>
<221> modified base
<222> (1)..(24)
<223> n = g, a, c or t
<220>
<221> modified base
<222> (12)..(14)
<223> n = g, a, c or t, may be present or absent
                                                                    24
gnngnngngg nnnngnggnn gnnn
<210> 29
<211> 23
<212> DNA
<213> Artificial Sequence
```

- Y + γ<sub>p</sub> ►

3 L a ...

```
<220>
 <223> Description of Artificial Sequence:target site DNA
       motif searched by protocol 1
 <220>
 <221> modified base
 <222> (1)..(23)
 <223> n = g, a, c or t
<220>
<221> modified base
<222> (11)..(13)
<223> n = g, a, c or t, may be present or absent
<400> 29
                                                                     23
gnngnngngg nnngnngngg nnn
<210> 30
<211> 24
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 1
<220>
<221> modified base
<222> (1)..(24)
<223> n = g, a, c or t
<220>
<221> modified_base
<222> (12)..(14)
<223> n = g, a, c or t, may be present or absent
<400> 30
gnngnngngg nnnngnngng gnnn
                                                                    24
<210> 31
<211> 23
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 1
<220>
<221> modified_base
<222> (1)..(23)
<223> n = g, a, c or t
<220>
<221> modified base
<222> (11)..(13)
<223> n = g, a, c or t, may be present or absent
```

Far y 🤛

```
<400> 31
                                                                     23
gnngnngngg nnngnggnng ngg
<210> 32
<211> 24
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 1
<220>
<221> modified base
<222> (1)..(24)
<223> n = g, a, c or t
<220>
<221> modified_base
<222> (12)..(14)
<223> n = g, a, c or t, may be present or absent
<400> 32
                                                                     24
gnngnngngg nnnngnggnn gngg
<210> 33
<211> 19
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 1
<220>
<221> modified base
<222> (1)..(19)
<223> n = g, a, c or t
<400> 33
                                                                     19
gnngnngngg nggnngnnn
<210> 34
<211> 19
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 1
<220>
<221> modified base
<222> (1)..(19)
<223> n = g, a, c or t
<400> 34
                                                                    19
gnngnngngg nngnggnnn
```

Y o 🧳 🕏

```
<210> 35
<211> 19
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 1
<220>
<221> modified base
<222> (1)..(19)
<223> n = g, a, c or t
<400> 35
                                                                     19
gnngnngngg nngnngngg
<210> 36
<211> 22
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 2
<220>
<221> modified base
<222> (1)..(22)
<223> n = g, a, c or t
<220>
<221> modified base
<222> (10)..(12)
<223> n = g, a, c or t, may be present or absent
<400> 36
                                                                    22
knggnnknnn nnknggnnkn nn
<210> 37
<211> 23
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 2
<220>
<221> modified_base
<222> (1)..(23)
<223> n = g, a, c or t
<220>
<221> modified base
<222> (11)..(13)
<223> n = g, a, c or t, may be present or absent
```

7 ( 0 %

```
<400> 37
                                                                     23
knggnnknnn nnnknggnnk nnn
<210> 38
<211> 22
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 2
<220>
<221> modified_base
<222> (1)..(22)
<223> n = g, a, c or t
<220>
<221> modified_base
<222> (10)..(12)
<223> n = g, a, c or t, may be present or absent
<400> 38
knggnnknnn nnknnknggn nn
                                                                     22
<210> 39
<211> 23
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 2
<220>
<221> modified_base
<222> (1)..(23)
<223> n = g, a, c or t
<220>
<221> modified base
<222> (11)..(13)
<223> n = g, a, c or t, may be present or absent
<400> 39
knggnnknnn nnnknnkngg nnn
                                                                    23
<210> 40
<211> 22
<212> DNA
<213> Artificial Sequence
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 2
```

- 3 a π 19

```
<220>
<221> modified base
<222> (1)..(22)
<223> n = g, a, c or t
<220>
<221> modified base
<222> (10)..(12)
<223> n = g, a, c or t, may be present or absent
<400> 40
                                                                     22
knggnnknnn nnknnknnkn gg
<210> 41
<211> 23
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 2
<220>
<221> modified base
<222> (1)..(23)
<223> n = g, a, c or t
<220>
<221> modified base
<222> (11)..(13)
<223> n = g, a, c or t, may be present or absent
<400> 41
                                                                     23
knggnnknnn nnnknnknnk ngg
<210> 42
<211> 22
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 2
<220>
<221> modified_base
<222> (1) .. (22)
<223> n = g, a, c or t
<220>
<221> modified base
<222> (10)..(12)
<223> n = g, a, c or t, may be present or absent
<400> 42
                                                                    22
knnknggnnn nnknggnnkn nn
```

36 e ... V)

```
<210> 43
<211> 23
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 2
<220>
<221> modified base
<222> (1)..(23)
<223> n = g, a, c or t
<220>
<221> modified base
<222> (11)..(13)
<223> n = g, a, c or t, may be present or absent
<400> 43
                                                                    23
knnknggnnn nnnknggnnk nnn
<210> 44
<211> 22
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 2
<220>
<221> modified base
<222> (1)..(22)
<223> n = g, a, c or t
<220>
<221> modified base
<222> (10)..(12)
<223> n = g, a, c or t, may be present or absent
<400> 44
                                                                    22
knnknggnnn nnknnknggn nn
<210> 45
<211> 23
<212> DNA
<213> Artificial Sequence
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol .2
<220>
<221> modified base
<222> (1)..(23)
<223> n = g, a, c or t
```

🥦 🕣 🔐 🤝

```
<220>
<221> modified base
<222> (11)..(13)
<223> n = g, a, c or t, may be present or absent
<400> 45
                                                                     23
knnknggnnn nnnknnkngg nnn
<210> 46
<211> 22
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 2
<220>
<221> modified_base
<222> (1)..(22)
<223> n = g, a, c or t
<220>
<221> modified_base
<222> (10)..(12)
<223> n = g, a, c or t, may be present or absent
<400> 46
                                                                    22
knnknggnnn nnknnknnkn gg
<210> 47
<211> 23
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 2
<220>
<221> modified_base
<222> (1)..(23)
<223> n = g, a, c or t
<220>
<221> modified_base
<222> (11) ... (13)
<223> n = g, a, c or t, may be present or absent
knnknggnnn nnnknnknnk ngg
                                                                    23
<210> 48
<211> 22
<212> DNA
<213> Artificial Sequence
```

7 1 W

```
<220>
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 2
<220>
<221> modified_base
<222> (1)..(22)
<223> n = g, a, c or t
<220>
<221> modified base
<222> (11)..(12)
<223> n = g, a, c or t, may be present or absent
<400> 48
                                                                    22
knnknnkngg nnknggnnkn nn
<210> 49
<211> 23
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 2
<220>
<221> modified base
<222> (1)..(23)
<223> n = g, a, c or t
<220>
<221> modified base
<222> (12)..(13)
<223> n = g, a, c or t, may be present or absent
<400> 49
                                                                    23
knnknnkngg nnnknggnnk nnn
<210> 50
<211> 22
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 2
<220>
<221> modified base
<222> (1)..(22)
<223> n = g, a, c or t
<220>
<221> modified base
<222> (11)..(12)
<223> n = g, a, c or t, may be present or absent
```

💌 . . . 💖

```
<400> 50
                                                                     22
knnknnkngg nnknnknggn nn
<210> 51
<211> 23
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 2
<220>
<221> modified_base
<222> (1)..(23)
<223> n = g, a, c or t
<220>
<221> modified_base
<222> (12)..(13)
<223> n = g, a, c or t, may be present or absent
<400> 51
                                                                    23
knnknnkngg nnnknnkngg nnn
<210> 52
<211> 22
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 2
<220>
<221> modified_base
<222> (1)..(22)
<223> n = g, a, c or t
<220>
<221> modified base
<222> (11)..(12)
<223> n = g, a, c or t, may be present or absent
<400> 52
                                                                    22
knnknnkngg nnknnknnkn gg
<210> 53
<211> 23
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 2
```

,

```
<220>
<221> modified base
<222> (1)..(23)
<223> n = g, a, c or t
<220>
<221> modified base
<222> (12)..(13)
<223> n = g, a, c or t, may be present or absent
<400> 53
knnknnkngg nnnknnknnk ngg
                                                                     23
<210> 54
<211> 19
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 2
<220>
<221> modified base
<222> (1)..(19)
<223> n = g, a, c or t
<400> 54
knnknnkngg nggnnknnn
                                                                    19
<210> 55
<211> 19
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 2
<220>
<221> modified base
<222> (1)..(19)
<223> n = g, a, c or t
<400> 55
knnknnkngg nnknggnnn
                                                                    19
<210> 56
<211> 19
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:target site DNA
     motif searched by protocol 2
```

4

```
<220>
<221> modified base
<222> (1)..(19)
<223> n = g, a, c or t
<400> 56
                                                                     19
knnknnkngg nnknnkngg
<210> 57
<211> 22
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 3
<220>
<221> modified_base
<222> (1)..(22)
<223> n = g, a, c or t
<220>
<221> modified base
<222> (10)..(12)
<223> n = g, a, c or t, may be present or absent
<400> 57
                                                                    22
kngknnknnn nnkngknnkn nn
<210> 58
<211> 23
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 3
<220>
<221> modified base
<222> (1)..(23)
<223> n = g, a, c or t
<220>
<221> modified_base
<222> (11)..(13)
<223> n = g, a, c or t, may be present or absent
<400> 58
                                                                    23
kngknnknnn nnnkngknnk nnn
<210> 59
<211> 22
<212> DNA
<213> Artificial Sequence
```

**(1)** 

```
<220>
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 3
<220>
<221> modified_base
<222> (1)..(22)
<223> n = g, a, c or t
<220>
<221> modified base
<222> (10)..(12)
<223> n = g, a, c or t, may be present or absent
<400> 59
                                                                    22
kngknnknnn nnknnkngkn nn
<210> 60
<211> 23
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 3
<220>
<221> modified_base
<222> (1)..(23)
<223> n = g, a, c or t
<220>
<221> modified base
<222> (11) ... (13)
<223> n = g, a, c or t, may be present or absent
<400> 60
kngknnknnn nnnknnkngk nnn
                                                                    23
<210> 61
<211> 22
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 3
<220>
<221> modified base
<222> (1)..(22)
<223> n = g, a, c or t
<220>
<221> modified base
<222> (10)..(12)
<223> n = g, a, c or t, may be present or absent
```

T)

```
<400> 61
kngknnknnn nnknnknnkn gk
                                                                     22
<210> 62
<211> 23
<212> DNA
<213> Artificial Sequence
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 3
<220>
<221> modified_base
<222> (1)..(23)
<223> n = g, a, c or t
<220>
<221> modified base
<222> (11) .. (13)
<223> n = g, a, c or t, may be present or absent
<400> 62
                                                                    23
kngknnknnn nnnknnknnk ngk
<210> 63
<211> 22
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 3
<220>
<221> modified_base
<222> (1)..(22)
<223> n = g, a, c or t
<220>
<221> modified base
<222> (10)..(12)
<223> n = g, a, c or t, may be present or absent
<400> 63
                                                                    22
knnkngknnn nnkngknnkn nn
<210> 64
<211> 23
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:target site DNA
     motif searched by protocol 3
```

, ,

```
<220>
<221> modified base
<222> (1)..(23)
<223> n = g, a, c or t
<220>
<221> modified_base
<222> (11)..(13)
<223> n = g, a, c or t, may be present or absent
<400> 64
knnkngknnn nnnkngknnk nnn
                                                                     23
<210> 65
<211> 22
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 3
<220>
<221> modified_base
<222> (1)..(22)
<223> n = g, a, c or t
<220>
<221> modified_base
<222> (10)..(12)
<223> n = g, a, c or t, may be present or absent
<400> 65
                                                                     22
knnkngknnn nnknnkngkn nn
<210> 66
<211> 23
<212> DNA
<213> Artificial Sequence
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 3
<220>
<221> modified base
<222> (1)..(23)
<223> n = g, a, c or t
<220>
<221> modified base
<222> (11) ... (13)
<223> n = g, a, c or t, may be present or absent
<400> 66
                                                                    23
knnkngknnn nnnknnkngk nnn
```

11)

```
<210> 67
<211> 22
<212> DNA
<213> Artificial Sequence
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 3
<220>
<221> modified base
<222> (1)..(22)
<223> n = g, a, c or t
<220>
<221> modified base
<222> (10)..(12)
<223> n = g, a, c or t, may be present or absent
<400> 67
                                                                    22
knnkngknnn nnknnknnkn gk
<210> 68
<211> 23
<212> DNA
<213> Artificial Sequence
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 3
<220>
<221> modified base
<222> (1)..(23)
<223> n = g, a, c or t
<220>
<221> modified base
<222> (11)..(13)
<223> n = g, a, c or t, may be present or absent
<400> 68
                                                                    23
knnkngknnn nnnknnknnk ngk
<210> 69
<211> 22
<212> DNA
<213> Artificial Sequence
<223> Description of Artificial Sequence:target site DNA
      motif-searched by protocol 3
<220>
<221> modified_base
<222> (1)..(22)
<223> n = g, a, c or t
```

---

```
<220>
<221> modified base
<222> (11)..(12)
<223> n = g, a, c or t, may be present or absent
<400> 69
                                                                     22
knnknnkngk nnkngknnkn nn
<210> 70
<211> 23
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 3
<220>
<221> modified base
<222> (1)..(23)
<223> n = g, a, c or t
<220>
<221> modified_base
<222> (12)..(13)
<223> n = g, a, c or t, may be present or absent
<400> 70
                                                                    23
knnknnkngk nnnkngknnk nnn
<210> 71
<211> 22
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 3
<220>
<221> modified base
<222> (1)..(22)
<223> n = g, a, c or t
<220>
<221> modified_base
<222> (11)..(12)
<223> n = g, a, c or t, may be present or absent
<400> 71
                                                                    22
knnknnkngk nnknnkngkn nn
<210> 72
<211> 23
<212> DNA
<213> Artificial Sequence
```

96

¥',

```
<220>
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 3
<220>
<221> modified base
<222> (1)..(23)
<223> n = g, a, c or t
<220>
<221> modified base
<222> (12)..(13)
<223> n = g, a, c or t, may be present or absent
<400> 72
knnknnkngk nnnknnkngk nnn
                                                                     23
<210> 73
<211> 22
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 3
<220>
<221> modified_base
<222> (1)..(22)
<223> n = g, a, c or t
<220>
<221> modified base
<222> (11)..(12)
<223> n = g, a, c or t, may be present or absent
<400> 73
                                                                    22
knnknnkngk nnknnknnkn gk
<210> 74
<211> 23
<212> DNA
<213> Artificial Sequence
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 3
<220>
<221> modified_base
<222> (1)..(23)
<223> n = g, a, c or t
<220>
<221> modified_base
<222> (12)..(13)
<223> n = g, a, c or t, may be present or absent
```

(14)


```
<400> 74
knnknnkngk nnnknnknnk ngk
                                                                     23
<210> 75
<211> 19
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 3
<220>
<221> modified base
<222> (1)..(19)
<223> n = g, a, c or t
<400> 75
                                                                     19
knnknnkngk ngknnknnn
<210> 76
<211> 19
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 3
<220>
<221> modified_base
<222> (1)..(19)
<223> n = g, a, c or t
<400> 76
                                                                    19
knnknnkngk nnkngknnn
<210> 77
<211> 19
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:target site DNA
      motif searched by protocol 3
<220>
<221> modified base
<222> (1)..(19)
<223> n = g, a, c or t
<400> 77
                                                                    19
knnknnkngk nnknnkngk
```

·=~)

```
<210> 78
<211> 10
<212> DNA
<213> Glycine max
<223> soybean FAD2-1 cDNA ZFP target segment FAD 1
_<400> 78
                                                                     10
gaggtagagg
<210> 79
<211> 10
<212> DNA
<213> Glycine max
<223> soybean FAD2-1 cDNA target segment FAD 2
<400> 79
                                                                     10
gtcgtgtgga
<210> 80
<211> 10
<212> DNA
<213> Glycine max
<220>
<223> soybean FAD2-1 cDNA target segment FAD 3
<400> 80
                                                                     10
gttgaggaag
<210> 81
<211> 10
<212> DNA
<213> Glycine max
<223> soybean FAD2-1 cDNA target segment FAD 4
<400> 81
                                                                     10
gaggtggaag
<210> 82
<211> 10
<212> DNA
<213> Glycine max
<223> soybean FAD2-1 cDNA target segment FAD 5
<400> 82
                                                                     10
taggtggtga
```

· \*\*

tr: ,



-

KC, y

10

```
<220>
 <223> Description of Artificial Sequence:target site
       with base immediately to the 3' side of target
       site
<220>
<221> modified_base
<222> (10)
<223> n = undefined
<400> 87
gcgcggtgcn
<210> 88
<211> 7
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: finger F3 for
      ordered output from optimal design target site
<400> 88
Glu Arg Asp His Leu Arg Thr
  1
<210> 89
<211> 7
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: finger F2 for
      ordered output from optimal design target site
<400> 89
Arg Ser Asp Glu Leu Gln Arg
<210> 90
<211> 7
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: finger F1 for
      ordered output from optimal design target site
<400> 90
Arg Lys Asp Ser Leu Val Arg
<210> 91
<211> 7
<212> PRT
<213> Artificial Sequence
```

.

```
<220>
 <223> Description of Artificial Sequence: finger for
        disordered output from optimal design target site
 <400> 91
 Arg Ser Asp Glu Leu Thr Arg
 <210> 92
 <211> 7
 <212> PRT
 <213> Artificial Sequence
 <220>
 <223> Description of Artificial Sequence: finger for
       disordered output from optimal design target site
 <400> 92
 Arg Ser Asp Glu Arg Lys Arg
 <210> 93
 <211> 21
 <212> PRT
 <213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: three finger
       ZFP design using F3, F2 and F1 fingers for ordered
      output from optimal design target site
<400> 93
Arg Lys Asp Ser Leu Val Arg Arg Ser Asp Glu Leu Gln Arg Glu Arg
                                       10
Asp His Leu Arg Thr
             20
<210> 94
<211> 21
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: ZFP sequence
      (F1, F2 and F3) from SBS design GR-223
<400> 94
Arg Ser Ala Asp Leu Thr Arg Arg Ser Asp His Leu Thr Arg Glu Arg
                                      10
Asp His Leu Arg Thr
             20
```

}

```
<210> 95
<211> 21
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: ZFP sequence
       (F1, F2 and F3) from Zif 268
Arg Ser Asp Glu Leu Thr Arg Arg Ser Asp His Leu Thr Thr Arg Ser
Asp Glu Arg Lys Arg
             20
<210> 96
<211> 21
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence:ZFP sequence
      (F1, F2, F3) from SP1
<400> 96
Lys Thr Ser His Leu Arg Ala Arg Ser Asp Glu Leu Gln Arg Arg Ser
Asp His Leu Ser Lys
<210> 97
<211> 21
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: ZFP sequence
      (F1, F2, F3) from SBS design GL-8.3.1
<400> 97
Arg Lys Asp Ser Leu Val Arg Thr Ser Asp His Leu Ala Ser Arg Ser
                                     10
```

20

Asp Asn Leu Thr Arg

,

•-